

Nourrissage des animaux en ville : une fausse bonne idée !

<https://blog.defi-ecologique.com/nourrissage-animaux-ville/>

Références citées

Andersson, M.N., Wang, H.-L., Nord, A., Salmon, P., and Isaksson, C. (2015) Composition of physiologically important fatty acids in great tits differs between urban and rural populations on a seasonal basis. *Front. Ecol. Evol.* 3:93. doi: 10.3389/fevo.2015.00093

Baranton, G., Postic, D. (2006) Trends in leptospirosis epidemiology in France. Sixty-six years of passive serological surveillance from 1920 to 2003. *Int J Infect Dis.* 2006;10:162-70.

Costa, F., Hagan, J.E., Calcagno, J., Kane, M., Torgerson, P., Martinez-Silveira, M.S., et al. (2015) Global Morbidity and Mortality of Leptospirosis: A Systematic Review. *PLoS Negl Trop Dis* 9(9): e0003898. doi:10.1371/journal.pntd.0003898

DAISIE, 2009. European Invasive Alien Species Gateway. <http://www.europe-aliens.org>.
European Commission, 2011. EU Biodiversity Strategy to 2020. Dec. 2011. <http://ec.europa.eu>
4pp

Isaksson, C., Andersson, M.N., Nord, A., von Post, M. and Wang, H.L. (2017) Species-Dependent Effects of the Urban Environment on Fatty Acid Composition and Oxidative Stress in Birds. *Front. Ecol. Evol.* 5:44. doi: 10.3389/fevo.2017.00044

Jones, D.N. & Reynolds, S. (2008) Feeding birds in our towns and cities:

Kettunen, M., Genovesi, P., Gollasch, S., Pagad, S., Starfinger, U., Brink, P., Shine, C., (2008) Technical support to EU strategy on invasive alien species (IAS) - Assessment of the impacts of IAS in Europe and the EU (final module report for the European Commission). Institute for European Environmental Policy (IEEP) Pyšek P., Hulme P E., Nentwig W. 2009. Glossary of the main technical terms used in the handbook. DAISIE Handbook of alien species in Europe. Springer Science : p375-378.

Levett, P.N. (2001) Leptospirosis. Clin. Microbiol. Rev. 14: 296-326

Lowe, S.J., Browne, M., Boudjelas, S. (2000). 100 of the World's Worst Invasive Alien Species. A selection from the Global Invasive Species Database. Published by the IUCN/SSC Invasive Species Specialist Group (ISSG), Auckland, New Zealand. Updated and reprinted version: November 2004

Menard, A., Agoulon, A., L'Hostis, M., Rondelaud, D., Collard, S., Chauvin, A., (2001) *Myocastor coypus* as a reservoir host of *Fasciola hepatica* in France. Vet. Res. 32: 499-508.

Moutou, F., (1997) Mammifères aquatiques et semi-aquatiques introduits en France. Risques et conséquences. Bull. Fr. Pêche Piscic. 344/345: 133-139.

Patz, J.A., Campbell-Lendrum, D., Holloway, T. & Foley, J.A. (2005) Impact of regional climate change on human health. Nature, 438: 310–317

Plummer, K.E., Bearhop, S., Leech, D.I., Chamberlain, D.E., and Blount, J.D. (2013) Fat provisioning in winter impairs egg production during the following spring: a landscape-scale study of blue tits. J. Anim. Ecol. 82, 673–682. doi: 10.1111/1365-2656.12025

Quéré, J.P., et Le Louarn, H. (2011). Les rongeurs de France – Faunistique et Biologie. Quae Edition. 311pp

Schoech, S.J. & Bowman, R. (2003) Does differential access to protein influence differences in timing of breeding of Florida scrub-jays (*Aphelocoma coerulescans*) in suburban and wildland habitats. - Auk 120: 1127-2003.

Schoech, S. J., Bowman, R. and Reynolds, S. J. (2004). Food supplementation and possible mechanisms underlying early breeding in the Florida scrub-jay (*Aphelocoma coerulescans*). - Hormone. Behav. 46: 565-573.

Singleton, G.R., Belmain, S., Brown, P.R. & Hardy, B. (2010) Rodent outbreaks: Ecology and Impacts, International Rice Research institute, Los Banos (Philippines).



DEFI ÉCOLOGIQUE

LE BLOG : nos articles, vos réactions

<https://blog.defi-ecologique.com>